



FM2-XX-B

- POWER OR COMMUNICATION ONLY
- AVAILABLE WITH INTEGRAL DUST COVERS TO ACCEPT BELDEN JACKS




FM2-1/X-B

- POWER AND COMMUNICATION




FA2-00-B

- MODULAR FURNITURE FEED
- POWER OR COMMUNICATION ONLY




FM4-11XX-B

- DIFFERENT POWER & COMMUNICATION OPTIONS & CONFIGURATIONS




FM4-11TT-B

- POWER & COMMUNICATION
- WITH INTEGRAL DUST COVERS TO ACCEPT BELDEN JACKS



FA4-0000-B


- MODULAR FURNITURE FEED
- POWER & COMMUNICATION



FM5-11XXX-B


- DIFFERENT POWER & COMMUNICATION OPTIONS & CONFIGURATIONS
- EXTRA LENGTH TO STRADDLE WIDER UNDER FLOOR CELL SPACE

- ALL STEEL CONSTRUCTION
- STOCK COVER FINISH (POWDER COAT TEXTURED BLACK)
- STANDARD HEIGHT 1 3/4"
- EXTRA HEIGHT 2 3/4" AVAILABLE MOST MODELS
- SAME END POWER & COMMUNICATION EXIT AVAILABLE ON MODULAR FURNITURE FITTINGS




FA5-00000-B

- MODULAR FURNITURE FEED
- POWER & COMMUNICATION
- EXTRA LENGTH TO STRADDLE WIDER UNDER FLOOR CELL SPACE




FM6-111XXX-B

- DIFFERENT POWER & COMMUNICATION OPTIONS & CONFIGURATIONS
- EXTRA LENGTH TO STRADDLE (3) UNDER FLOOR CELLS



FA6-000000-B

- MODULAR FURNITURE FEED
- POWER & COMMUNICATION
- EXTRA LENGTH TO STRADDLE (3) UNDER FLOOR CELLS



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM2-0X-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM2-0X-B-2 3/4"



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM2-XX-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM2-XX-B-2 3/4"



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM2-01-B



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM2-01-B-2 3/4"



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM2-11-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM2-11-B-2 3/4"

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE

NTS

REFERENCE

DR. BY MP

DATE


08 / 12

PART NO.

FM2 - 1/X - B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE

NTS

REFERENCE

DR. BY MP

DATE


08 / 12

PART NO.

APP. BY

DATE

FM2 - 1/X - B - 2 3/4"



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM2 - TT - B



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM4-11XX-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM4-11XX-B- 2 3/4"

APP. BY

DATE



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM4-11XX-B 1/2"GR



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM4-12XX-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM4-12XX-B- 2 3/4"

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM4-100X-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM4-111X-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM4-111X-B-2 3/4"

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM4 - 11TT - B



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM4 - 12TT - B



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM4 - TTTT - B



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM5-11XXX-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM5-11XXX-B- 2 3/4"



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM5-111XX-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM5-111XX-B-2 3/4"



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM5-12XXX-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM5-12XXX-B-2 3/4"



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS
IF REQUIRED



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM6-111XXX-B

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS
IF REQUIRED



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM6-111XXX-B-2 3/4"



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS
IF REQUIRED



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


FM6-11XXXX-B

APP. BY


DATE



MATERIALS: 16 GA STEEL		 TITLE		FM SERIES FLOOR MONUMENT			
NOTES: TOP - POWDER COAT TEXTURED BLACK							
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SCALE NTS		REFERENCE	
IF REQUIRED				DR. BY MP		DATE 08 / 12	
		APP. BY		DATE		FM6-11XXXX-B-2 3/4"	



MATERIALS: 16 GA STEEL				TITLE		
NOTES: TOP - POWDER COAT TEXTURED BLACK				FM SERIES FLOOR MONUMENT		
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SCALE	NTS	REFERENCE
IF REQUIRED				DR. BY MP	DATE 08 / 12	PART NO.
				APP. BY	DATE	FM6-1111XX-B



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS
IF REQUIRED



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

FM6-1111XX-B-2 3/4"



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS
IF REQUIRED



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM6-1111XXXX-B

APP. BY

DATE



MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK
- A COMBINATION OF UP TO (8) POWER AND COMMUNICATION OPENINGS
IF REQUIRED



TITLE

FM SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FM6-1111XXX-B-2 3/4"

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FA SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE


DR. BY MP

DATE 08 / 12

PART NO. FA2-00-B-P (POWER)
FA2-00-B-C (COMMUNICATION)

APP. BY

DATE



FA2-00-B-2 3/4" 2 1/4" GROMMETED
OPENING

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FA SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO. FA2-00-B-P-2 3/4" (POWER)

APP. BY

DATE

FA2-00-B-C-2 3/4" (COMMUNICATION)



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FA SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FA4-0000-B


APP. BY

DATE



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

MATERIALS: 16 GA STEEL		 TITLE FA SERIES FLOOR MONUMENT				
NOTES: TOP - POWDER COAT TEXTURED BLACK						
		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SCALE	NTS	REFERENCE
		DR. BY MP		DATE	08 / 12	PART NO. FA4-0000-B-2 3/4"
		APP. BY		DATE		



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FA SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE

NTS

REFERENCE

DR. BY MP

DATE


08 / 12

PART NO.

FA5-00000-B

APP. BY

DATE



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FA SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 /12

PART NO.

FA5-00000-B-2 3/4"

APP. BY

DATE



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FA SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

FA6-000000-B

APP. BY

DATE



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

MATERIALS: 16 GA STEEL

NOTES: TOP - POWDER COAT TEXTURED BLACK



TITLE

FA SERIES FLOOR MONUMENT

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


FA6-000000-B-2 3/4"

APP. BY


DATE




FA4 - FM4 BASE



FA5 - FM5 BASE



FA2 - FM2 BASE



FA6 - FM6 BASE

MATERIALS: 16 GA GALV. STEEL

NOTES:



TITLE

FA & FM BASE LAYOUTS

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE


DR. BY MP

DATE 08 / 12


PART NO.

APP. BY


DATE




- 300B - 1** - 3" DEEP
300B - 2 - 2½" DEEP
- (2) COMPARTMENT
 - (4) GANG
 - POWER & COMMUNICATION
 - CARPET RECESS LID (CAST ALUMINUM PAINTED BLACK)




- 300B - 5**
- 5 1/2 " DEEP
 - (2) COMPARTMENT
 - (8) GANG
 - POWER & COMMUNICATION
 - CARPET RECESS LID (CAST ALUMINUM PAINTED BLACK)




- 300CRL - 3.75**
- 3 3/4 " DEEP
 - (2) GANG POWER
 - (2) GANG COMMUNICATION
 - ACCOMODATES ADVANCED CABLING
 - MODULAR DESIGN ALLOWS OF INDEPENDENT ACCESS OF POWER & COMMUNICATION
 - CARPET RECESS LID (BLACK)




- 300FL - 3.75**
- 3 3/4 " DEEP
 - (2) GANG POWER
 - (2) GANG COMMUNICATION
 - ACCOMODATES ADVANCED CABLING
 - MODULAR DESIGN ALLOWS OF INDEPENDENT ACCESS OF POWER & COMMUNICATION
 - FLAT LID (BLACK)




- 300CRL - 5**
- 5 " DEEP
 - (2-3) GANG POWER
 - (2-3) GANG COMMUNICATION
 - ACCOMODATES ADVANCED CABLING
 - MODULAR DESIGN ALLOWS OF INDEPENDENT ACCESS OF POWER & COMMUNICATION
 - CARPET RECESS LID (BLACK)




- 300FL - 5**
- 5 " DEEP
 - (2-3) GANG POWER
 - (2-3) GANG COMMUNICATION
 - ACCOMODATES ADVANCED CABLING
 - MODULAR DESIGN ALLOWS OF INDEPENDENT ACCESS OF POWER & COMMUNICATION
 - FLAT LID (BLACK)



- 300RL**
- FITS 8" ROUND AIR DIFFUSOR OPENING
 - 6 1/4" DEEP
 - (2) GANG POWER
 - (2) GANG COMMUNICATION ACCOMODATES ADVANCED CABLING
 - MODULAR DESIGN ALLOWS OF INDEPENDENT ACCESS OF POWER & COMMUNICATION
 - FLAT LID (SANDEXT ALUMINUM FINISH)




- 340** - ROUND LID
340R - RECTANGULAR LID
- SINGLE GANG FOR TILED OR CARPET
 - STAINLESS STEEL LID ASSEMBLY




- 350 POWER**
- POWER DISTRIBUTION AVAILABLE WITH SPECIFIED MODULAR POWER CONNECTORS, NEMA TWIST-LOCK RECEPTACLES, TERMINAL BLOCKS AND WIRING CONFIGURATIONS

- ALL STEEL CONSTRUCTION EXCEPT WHERE INDICATED
- STANDARD CONFIGURATIONS FOR POWER & COMMUNICATION SHOWN (CONSULT FACTORY FOR SPECIAL REQUIREMENTS)
- MODULAR POWER CORDS AND CONNECTORS ARE AVAILABLE FROM VARIOUS MANUFACTURERS
- 350 SERIES POWER DISTRIBUTION BOXES ARE AVAILABLE ON A CUSTOM DESIGN AND ORDER BASIS




SIDE VIEW



END VIEW


SELF FASTENING
BRACKET (2)



(2) DUPLEX OPENINGS
POWER

(2) DECORATOR OPENINGS
COMMUNICATION


TOP VIEW INSIDE BOX




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 1/2" POWER
1" COMMUNICATION c/w PLASTIC BUSHING
& TIE WRAP ACCOMMODATION

		TITLE	
		300B SERIES RAISED FLOOR BOX CARPET RECESS LID	
DR. BY MWP	DATE 08 / 12	SCALE NTS	REFERENCE
		APP. BY	PART NO. 300B-1YYXX-CRL



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE VIEW



END VIEW



TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

(1) DUPLEX OPENING POWER
(1) DECORATOR OPENING
COMMUNICATION

(2) DECORATOR OPENINGS
AUDIO / VISUAL

MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 1/2" POWER

1" COMMUNICATION c/w PLASTIC BUSHING
& TIE WRAP ACCOMMODATION



TITLE

300B SERIES RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 08 / 12

PART NO.


APP. BY

DATE



300B-1Y/XXX-CRL



SIDE VIEW



END VIEW



(2) DUPLEX OPENINGS
POWER

(2) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 1/2" POWER

1" COMMUNICATION c/w PLASTIC BUSHING
& TIE WRAP ACCOMMODATION



TITLE
300B SERIES RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 08 / 12

PART NO.


APP. BY

DATE


300B-2YYXX-CRL



SIDE VIEW



END VIEW




TOP VIEW INSIDE BOX


WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

(1) DUPLEX OPENING POWER
(1) DECORATOR OPENING
COMMUNICATION


(2) DECORATOR OPENINGS
AUDIO / VISUAL



MATERIALS : BOX - 16 GA. GALV. STEEL				TITLE 300B SERIES RAISED FLOOR BOX CARPET RECESS LID	
LID & SURROUND - CAST ALUMINUM PAINTED BLACK					
NOTES: - STANDARD KNOCKOUTS 1/2" POWER					
1 " COMMUNICATION c/w PLASTIC BUSHING		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE NTS	REFERENCE	
& TIE WRAP ACCOMMODATION		DR. BY MWP	DATE 08 / 12	PART NO.	
		APP. BY	DATE	300B-2Y/XXX-CRL	




SIDE VIEW



END VIEW


SELF FASTENING
BRACKET (2)



(4) DUPLEX OPENINGS
POWER

(4) DECORATOR OPENINGS
COMMUNICATION


TOP VIEW INSIDE BOX




WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



		TITLE	
		300B SERIES RAISED FLOOR BOX CARPET RECESS LID	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
DR. BY MWP	DATE	08 / 12	PART NO.
APP. BY	DATE		300B-5YYYYXXX-CRL



SIDE VIEW



END VIEW






(2) DUPLEX OPENINGS POWER (4) DECORATOR OPENINGS A/V
(2) DECORATOR OPENINGS OR PUNCHED TO SUIT
COMMUNICATION

TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS : BOX - 16 GA. GALV. STEEL		Wellmark ELECTRIC INC TITLE 300B SERIES RAISED FLOOR BOX CARPET RECESS LID	
LID & SURROUND - CAST ALUMINUM PAINTED BLACK			
NOTES: - STANDARD KNOCKOUTS 3/4" POWER			
1 " COMMUNICATION (UP TO 2")	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE NTS	REFERENCE
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS	DR. BY MWP	DATE 08 / 12	PART NO. 300B-5YY/XXXXXX-CRL
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED	APP. BY	DATE	




(2) DUPLEX OPENINGS POWER (4) DECORATOR OPENINGS AV
(2) DECORATOR OPENINGS OR PUNCHED TO SUIT
COMMUNICATION

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE
BEND RADIUS OF COMMUNICATION CABLES AND
INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496






MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED




TITLE 300B EXTENDED COMMUNICATION SERIES
RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE NTS	REFERENCE
DR. BY MWP	DATE 05 / 13	PART NO.
APP. BY	DATE	300B-5EXTCOMM-YY/XXXXXX-CRL



EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED

		TITLE 300B EXTENDED COMMUNICATION SERIES RAISED FLOOR BOX CARPET RECESS LID	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SCALE NTS	REFERENCE
DR. BY MWP	DATE 05 / 13	PART NO. 300B-5EXTCOMM-YY/XX-4GBXMT-CRL	
APP. BY	DATE		

(2) DUPLEX OPENINGS
POWER


(2) DECORATOR OPENINGS
COMMUNICATION





PLAN VIEW

CABLE MANAGER
BRACKET

SELF FASTENING
BRACKET (2)



LID DETAIL



END SECTION

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL - BOX AND LID FINISH SEMI - GLOSS BLACK
16 GA GALV. STEEL - REMOVABLE MODULES

NOTES:



TITLE

300CRL SERIES RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP





DATE 08 / 12

PART NO.

APP. BY

DATE

300CRL - YYXX - 3.75



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS: 16 GA STEEL - BOX AND LID FINISH BLACK SANDTEX
16 GA GALV. STEEL - REMOVABLE MODULES

NOTES:



TITLE 300FL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 12

PART NO.


APP. BY

DATE

300FL - YYXX - 3.75

(2) DUPLEX OPENINGS
POWER


(2) DECORATOR OPENINGS
COMMUNICATION




PLAN VIEW

SELF FASTENING
BRACKET (2)


CABLE MANAGER
BRACKET



LID DETAIL



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



END SECTION

MATERIALS: 16 GA STEEL - BOX AND LID FINISH BLACK SANDTEX
16 GA GALV. STEEL - REMOVABLE MODULES

NOTES:



TITLE

300FL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 12

PART NO.


APP. BY

DATE

300FL - YYXX-5

(3) DUPLEX OPENINGS
POWER


(3) DECORATOR OPENINGS
COMMUNICATION




PLAN VIEW

CABLE MANAGER
BRACKET


SELF FASTENING
BRACKET (2)



LID DETAIL



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



END SECTION

MATERIALS: 16 GA STEEL - BOX AND LID FINISH SEMI - GLOSS BLACK
16 GA GALV. STEEL - REMOVABLE MODULES

NOTES:



TITLE

300CRL SERIES RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 12

PART NO.


300CRL-YYYYXX-5

APP. BY

DATE

(2) DUPLEX OPENINGS
POWER


(2) DECORATOR OPENINGS
COMMUNICATION




PLAN VIEW

SELF FASTENING
BRACKET (2)


CABLE MANAGER
BRACKET



LID DETAIL



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



END SECTION

MATERIALS: 16 GA STEEL - BOX AND LID FINISH BLACK SANDTEX
16 GA GALV. STEEL - REMOVABLE MODULES

NOTES:



TITLE

300FL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.


APP. BY

DATE


300FL - YYXX-5



LID DETAIL



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS: 16 GA STEEL - BOX AND LID FINISH BLACK SANDTEX
16 GA GALV. STEEL - REMOVABLE MODULES

NOTES:



TITLE

300FL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

300FL - YYYXXX-5



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

SELF FASTENING
BRACKET (2)

(2) DUPLEX
RECEPTACLES

(2) DECORATOR
OPENINGS FOR
COMMUNICATION

9" DIA. LID
ASSEMBLY

CABLE MANAGER
BRACKET

PLAN VIEW
(LID REMOVED)

ACCESS FLOOR TILE

TRAP DOOR

6 1/4"

REMOVEABLE
POWER
MODULE

BOX BODY TO FIT IN
8 1/2" DIAMETER
DIFFUSER HOLE

REMOVEABLE
COMMUNICATION
MODULE c/w EXTRA
DEEP BACK

SIDE VIEW

MATERIALS: BODY & MODULES: 16 GA. GALV. STEEL
LID ASSEMBLY: 11 GA STEEL POWDER COAT SANDTEX SILVER

NOTES:

Wellmark
ELECTRIC INC

TITLE
300RL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

DR. BY MP

APP. BY

SCALE NTS


DATE 08 / 12

DATE



REFERENCE

PART NO.

300RL-YYXX



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS: BODY & MODULES: 16 GA. GALV. STEEL
LID ASSEMBLY: 11 GA STEEL POWDER COAT SANDTEX SILVER

NOTES:



TITLE
300RL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE


300RL-Y/XXX



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

SELF FASTENING
BRACKET (2)

(2) DUPLEX
RECEPTACLES



PLAN VIEW
(LID REMOVED)


(2) MDVO FLEX INSERTS
c/w INTEGRAL DUST
COVERS

9" DIA. LID
ASSEMBLY

CABLE MANAGER
BRACKET

ACCESS FLOOR TILE

TRAP DOOR



6 1/4"

REMOVEABLE
POWER
MODULE

BOX BODY TO FIT IN
8" NOMINAL DIA.
DIFFUSER HOLE

REMOVEABLE
COMMUNICATION
MODULE c/w EXTRA
DEEP BACK

SIDE VIEW

MATERIALS: BODY & MODULES: 16 GA. GALV. STEEL
LID ASSEMBLY: 11 GA STEEL POWDER COAT SANDTEX SILVER

NOTES:

Wellmark
ELECTRIC INC

TITLE 300RL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


APP. BY

DATE

300RL-YYTT




1/2" K.O. ON BOTTOM - STANDARD



TOP VIEW

5 1/2



END SECTION

MATERIALS: COVER - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED

NOTES: INSERT PLATE OPTIONS: STANDARD DUPLEX
DECORATOR STYLE DUPLEX

Wellmark
ELECTRIC INC

TITLE

340 SERIES RAISED FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO. 340-Y (DUPLEX)


APP. BY

DATE


340-X (DECORATOR)



1/2" K.O. ON BOTTOM - STANDARD



TOP VIEW



END SECTION

MATERIALS: COVER - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED

NOTES: INSERT PLATE OPTIONS: STANDARD DUPLEX

DECORATOR STYLE DUPLEX



TITLE

340 SERIES RAISED FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS


REFERENCE

DR. BY MP DATE 08 / 12

PART NO. 340R-Y (DUPLEX)

APP. BY DATE

340R-X (DECORATOR)



MATERIALS: 16 GA STEEL


NOTES: _____



TITLE POWER DISTRIBUTION BOX AND RAISED FLOOR BOX POWER CONNECTION DETAIL


DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SCALE NTS	REFERENCE
DR. BY MP	DATE 08 / 12	PART NO.	
APP. BY	DATE		

ALL LID ASSEMBLIES MEET SCRUB WATER EXCLUSION REQUIREMENTS.




400B-1

- 3" DEEP
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- LID OPTIONS:
CRL - CARPET RECESS LID
FLSS - FLAT LID STAINLESS STEEL
(CARPET LID SHOWN)




400B-1EXTCOMM

- 3" DEEP WITH EXTENDED COMMUNICATION COMPARTMENT
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- LID OPTIONS:
CRL - CARPET RECESS LID
FLSS - FLAT LID STAINLESS STEEL
(FLAT LID SHOWN)




400B-2

- 2 1/2" DEEP
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- LID OPTIONS:
CRL - CARPET RECESS LID
FLSS - FLAT LID STAINLESS STEEL
(FLAT LID SHOWN)




400B-2EXTCOMM

- 2 1/2" DEEP WITH EXTENDED COMMUNICATION COMPARTMENT
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- LID OPTIONS:
CRL - CARPET RECESS LID
FLSS - FLAT LID STAINLESS STEEL
(CARPET LID SHOWN)



400B-5


- 5 1/2" DEEP
- (2) COMPARTMENT
- (8) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- LID OPTIONS:
CRL - CARPET RECESS LID
FLSS - FLAT LID STAINLESS STEEL
(CARPET LID SHOWN)



400B-5EXTCOMM


- 5 1/2" DEEP WITH EXTENDED COMMUNICATION COMPARTMENT
- (2) COMPARTMENT
- (8) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- LID OPTIONS:
CRL - CARPET RECESS LID
FLSS - FLAT LID STAINLESS STEEL
(FLAT LID SHOWN)

ALL LID ASSEMBLIES MEET SCRUB WATER EXCLUSION REQUIREMENTS.




410-1

- 2 3/4" DEEP
- (2) COMPARTMENT
- (2) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL




410RL-1

- 3" DEEP
- (2) COMPARTMENT
- (2) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL




410-1EXTCOMM

- 2 3/4" DEEP WITH EXTENDED COMMUNICATION COMPARTMENT
- (2) COMPARTMENT
- (2) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL




410RL-1EXTCOMM

- 3" DEEP WITH EXTENDED COMMUNICATION COMPARTMENT
- (2) COMPARTMENT
- (2) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL




410-5

- 5" DEEP
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL




410RL-5

- 5 3/4" DEEP
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL



410-5EXTCOMM


- 5" DEEP WITH EXTENDED COMMUNICATION COMPARTMENT
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL



410RL-5EXTCOMM

- 5 3/4" DEEP WITH EXTENDED COMMUNICATION COMPARTMENT
- (2) COMPARTMENT
- (4) GANG
- POWER & COMMUNICATION
- DRY LOCATIONS ONLY
- FLAT LID STAINLESS STEEL


ALL LID ASSEMBLIES MEET SCRUB WATER EXCLUSION REQUIREMENTS.



420-2S - 2½" DEEP

420-2D - 3½" DEEP


- SINGLE SOURCE FOR SURFACE MOUNT FITTING
- DRY LOCATIONS ONLY



420-2S - 2 ½" DEEP

420-2D - 3 ½" DEEP


- SINGLE SOURCE FOR SURFACE MOUNT MODULAR FURNITURE FEED
- DRY LOCATIONS ONLY



420-4S - 3½" DEEP

420-4D - 4½" DEEP


- DUAL SOURCE FOR SURFACE MOUNT FITTING
- DRY LOCATIONS ONLY



420-4S - 3 ½" DEEP

420-4D - 4 ½" DEEP


- DUAL SOURCE FOR SURFACE MOUNT MODULAR FURNITURE FEED



440S - 2½" DEEP

440D - 3½" DEEP


- SINGLE GANG
- POWER OR COMMUNICATION
- ROUND STAINLESS STEEL LID ASSEMBLY
- DRY LOCATIONS ONLY



440SR - 2½" DEEP

440DR - 3½" DEEP


- SINGLE GANG
- POWER OR COMMUNICATION
- RECTANGULAR STAINLESS STEEL LID ASSEMBLY
- DRY LOCATIONS ONLY



442S - 2½" DEEP

442D - 3½" DEEP

- (2) GANG
- POWER AND/OR COMMUNICATION
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




443S - 2½" DEEP

443D - 3½" DEEP

- (3) GANG
- POWER AND/OR COMMUNICATION
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY


CONCRETE FLOOR BOXES

ALL LID ASSEMBLIES MEET SCRUB WATER EXCLUSION REQUIREMENTS.




470-4

- 4" DIAMETER POKE THROUGH
- POWER AND COMMUNICATION
- 7" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-4 POWER

- 4" DIAMETER POKE THROUGH
- POWER ONLY
- 7" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-5 AV

- 5" DIAMETER POKE THROUGH
- AV CONNECTIONS ONLY
- 8" DEEP
- AV CABLES MAY BE CONNECTED DIRECTLY TO THE EQUIPMENT & COILED UP IN BOX WHEN NOT IN USE
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-5

- 5" DIAMETER POKE THROUGH
- POWER AND COMMUNICATION
- 8" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-5 AV & POWER 470-5 AV & COMM

- 5" DIAMETER POKE THROUGH
- AV AND POWER OR COMM
- 8" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-5 AV INSERTS & POWER

- 5" DIAMETER POKE THROUGH
- ACCEPTS (4) MAAPI INSERTS AND POWER
- 8" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-6

- 6" DIAMETER POKE THROUGH
- (2) GANG DUPLEX POWER
- (2) GANG DECORATOR COMM
- 9" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-6 AV & POWER 470-6 AV & COMM

- 6" DIAMETER POKE THROUGH
- AV AND POWER OR COMM
- 9" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-6 AV & INSERTS POWER AND COMM

- 6" DIAMETER POKE THROUGH
- ACCEPTS (7) MAAPI INSERTS POWER AND COMM
- 9" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-6 AV

- 6" DIAMETER POKE THROUGH
- AV CONNECTIONS ONLY
- 9" DEEP
- AV CABLES MAY BE CONNECTED DIRECTLY TO EQUIPMENT & COILED UP IN BOX WHEN NOT IN USE
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY




470-6 AV MODULE


- 6" DIAMETER POKE THROUGH
- ALLOWS MOUNTING OF 2 GANG AV TRANSMITTER - SWITCHING MODULES
- 9" DEEP
- STAINLESS STEEL LID
- DRY LOCATIONS ONLY



SIDE VIEW



END VIEW




(2) DUPLEX OPENINGS
POWER

(2) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: STANDARD KNOCKOUTS

3/4" POWER 1" COMMUNICATION



TITLE
400B SERIES CONCRETE FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


400B-1YYXX-CRL

APP. BY


DATE




SIDE VIEW



END VIEW



TOP VIEW INSIDE BOX



MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS

3/4" POWER 1" COMMUNICATION



TITLE

400B SERIES CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 08 / 12

PART NO.


400B-1YYXX-FLSS

APP. BY


DATE



SIDE VIEW




END VIEW



TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF
COMMUNICATION CABLES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: STANDARD KNOCKOUTS

3/4" POWER 1" COMMUNICATION



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 08 / 12

PART NO.


APP. BY

DATE

400B-1EXTCOMM-YYXX-CRL




SIDE VIEW



(2) DUPLEX OPENINGS
POWER

(2) DECORATOR OPENINGS
COMMUNICATION


TOP VIEW INSIDE BOX



END VIEW

EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF
COMMUNICATION CABLES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA. STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS

3/4" POWER 1" COMMUNICATION

Wellmark
ELECTRIC INC

TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 08 / 12

PART NO.


APP. BY

DATE


400B-1EXTCOMM-YYXX-FLSS



SIDE VIEW



END VIEW




(2) DUPLEX OPENINGS
POWER


(2) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX


WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS : BOX - 16 GA. GALV. STEEL				TITLE	
LID & SURROUND - CAST ALUMINUM PAINTED BLACK				400B SERIES CONCRETE FLOOR BOX	
NOTES: STANDARD KNOCKOUTS				CARPET RECESS LID	
3/4" POWER 1" COMMUNICATION		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
		DR. BY MP	DATE	08 / 12	PART NO. 400B-2YYXX-CRL
		APP. BY	DATE		




SIDE VIEW



(2) DUPLEX OPENINGS
POWER


(2) DECORATOR OPENINGS
COMMUNICATION



END VIEW

TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - 11 GA. STAINLESS STEEL
NOTES: STANDARD KNOCKOUTS

3/4" POWER 1" COMMUNICATION



TITLE
400B SERIES CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP




DATE 08 / 12

PART NO.

APP. BY


DATE

400B-2YYYX-FLSS



EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF
COMMUNICATION CABLES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: STANDARD KNOCKOUTS
3/4" POWER 1" COMMUNICATION


Wellmark
ELECTRIC INC

TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
CARPET RECESS LID


DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE NTS	REFERENCE
DR. BY MWP	DATE 08 / 12	PART NO.
APP. BY	DATE	400B-2EXTCOMM-YYXX-CRL



SIDE VIEW




END VIEW



TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - 11 GA. STAINLESS STEEL
NOTES: STANDARD KNOCKOUTS

3/4" POWER 1" COMMUNICATION

Wellmark
ELECTRIC INC

TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 08 / 12

PART NO.


APP. BY

DATE


400B-2EXTCOMM-YYXX-FLSS



SIDE VIEW



END VIEW




(4) DUPLEX OPENINGS
POWER

(4) DECORATOR OPENINGS
COMMUNICATION


TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



		TITLE	
		400B SERIES CONCRETE FLOOR BOX CARPET RECESS LID	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
DR. BY MWP	DATE	08 / 12	PART NO.
APP. BY	DATE		400B-5YYYYXXX-CRL



SIDE VIEW



END VIEW




(4) DUPLEX OPENINGS
POWER

(4) DECORATOR OPENINGS
COMMUNICATION


TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS : BOX - 16 GA. GALV. STEEL	Wellmark ELECTRIC INC TITLE400B SERIES CONCRETE FLOOR BOX FLAT LID		
LID & SURROUND - 11 GA STAINLESS STEEL			
NOTES: - STANDARD KNOCKOUTS 3/4" POWER			
1 " COMMUNICATION (UP TO 2")	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE NTS	REFERENCE
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS	DR. BY MWP	DATE08 / 12	PART NO. 400B-5YYYYXXX-FLSS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED	APP. BY	DATE	



SIDE VIEW




(2) DUPLEX OPENINGS POWER
(2) DECORATOR OPENINGS COMMUNICATION


(4) DECORATOR OPENINGS AV OR PUNCHED TO SUIT

TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496







END VIEW






MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED

		TITLE	400B SERIES CONCRETE FLOOR BOX CARPET RECESS LID
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
DR. BY MWP	DATE	08 / 12	PART NO.
APP. BY	DATE		400B-5YY/XXXXXX-CRL




WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS : BOX - 16 GA. GALV. STEEL				TITLE		400B SERIES CONCRETE FLOOR BOX			
LID & SURROUND - 11 GA STAINLESS STEEL				FLAT LID					
NOTES: - STANDARD KNOCKOUTS 3/4" POWER									
1" COMMUNICATION (UP TO 2")		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SCALE		NTS		REFERENCE	
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS		DR. BY MWP		DATE		08 / 12		PART NO.	
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED		APP. BY		DATE				400B-5YY/XXXXXX-FLSS	




EXTENDED COMPARTMENT ALLOWS FOR LARGE
BEND RADIUS OF COMMUNICATION CABLES AND
INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



		TITLE 400B EXTENDED COMMUNICATION SERIES CONCRETE FLOOR BOX CARPET RECESS LID											
		<table> <tr> <th>DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED</th><th>SCALE</th><th>NTS</th><th>REFERENCE</th></tr> <tr> <td>DR. BY MWP</td><td>DATE</td><td>08 / 12</td><td>PART NO.</td></tr> <tr> <td>APP. BY</td><td>DATE</td><td></td><td>400B-5EXTCOMM-YYYYXXX-CRL</td></tr> </table>	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE	DR. BY MWP	DATE	08 / 12	PART NO.	APP. BY	DATE	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE										
DR. BY MWP	DATE	08 / 12	PART NO.										
APP. BY	DATE		400B-5EXTCOMM-YYYYXXX-CRL										



SIDE VIEW



END VIEW



(4) DUPLEX OPENINGS
POWER

(4) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE
BEND RADIUS OF COMMUNICATION CABLES AND
INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA STAINLESS STEEL

NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1 " COMMUNICATION (UP TO 2")

- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS

- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP




DATE 08 / 12

PART NO.

APP. BY


DATE

400B-5EXTCOMM-YYYYXXXX-FLSS



EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED




TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
CARPET RECESS LID



DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
DR. BY MWP	DATE	08 / 12	PART NO.
APP. BY	DATE		400B-5EXTCOMM-YY/XX-4GBXMT-CRL



SIDE VIEW



END VIEW



- (2) DUPLEX OPENINGS POWER
- (2) DECORATOR OPENINGS COMMUNICATION
- (1) 4 GANG BOX MOUNT OPENING

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA STAINLESS STEEL

NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")

- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS

- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP




DATE 08 / 12

PART NO.

APP. BY

DATE


400B-5EXTCOMM-YY/XX-4GBXMT-FLSS



TOP VIEW INSIDE BOX




EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED

		TITLE 400B EXTENDED COMMUNICATION SERIES CONCRETE FLOOR BOX CARPET RECESS LID	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SCALE NTS	REFERENCE
DR. BY MWP	DATE	08 / 12	PART NO.
APP. BY	DATE		400B-5EXTCOMM-YY/XXXXXX-CRL





EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - 11 GA STAINLESS STEEL
NOTES: - STANDARD KNOCKOUTS 3/4" POWER
1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED

		TITLE 400B EXTENDED COMMUNICATION SERIES CONCRETE FLOOR BOX FLAT LID	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE NTS	REFERENCE	
DR. BY MWP	DATE 08 / 12	PART NO.	
APP. BY	DATE	400B-5EXTCOMM-YY/XXXXXX-FLSS	



TOP VIEW INSIDE BOX



SIDE VIEW

MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE

410 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY


DATE

410-1YX-SS



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496


EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF
COMMUNICATION CABLES



(1) DECORATOR OPENING
COMMUNICATION

(1) DUPLEX OPENING
POWER

TOP VIEW INSIDE BOX



MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE
410 EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 12

PART NO.


APP. BY

DATE

410-1EXTCOMM-YX-SS

OPENING IN LID
ALLOWS CABLES TO
EXIT BOX WHEN
LID IS CLOSED


STAINLESS STEEL
GASKETED LID
& TRAP DOOR



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

TIE DOWN POINTS


REMOVEABLE TUNNEL 3/8" X 3/4"
CROSS SECTIONAL SIZE



(1) DUPLEX OPENING
POWER

(1) DUPLEX OPENING
POWER

TOP VIEW INSIDE BOX



2" LEVELING
SCREWS

DEVICE PLATES

2 5/8" 9 1/8" 2 5/8"

SIDE VIEW

MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" POWER



TITLE

410 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.


APP. BY

DATE

410-1YY-SS-TUNNEL



TOP VIEW INSIDE BOX



MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE

410 SERIES CONCRETE FLOOR BOX

DIVENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 12

PART NO.


APP. BY

DATE

410-5YYXX-SS

OPENING IN LID
ALLOWS CABLES TO
EXIT BOX WHEN
LID IS CLOSED


STAINLESS STEEL
GASKETED LID
& TRAP DOOR



TIE DOWN POINTS

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496


EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF
COMMUNICATION CABLES



(2) DECORATOR OPENING
COMMUNICATION

(2) DUPLEX OPENING
POWER

TOP VIEW INSIDE BOX



DEVICE PLATES

4"

5"

2 1/2"

11 5/8"

SIDE VIEW

2" LEVELING
SCREWS

MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE 410 EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 12

PART NO.


APP. BY

DATE

410-5EXTCOMM-YYXX-SS

OPENING IN LID
ALLOWS CABLES TO
EXIT BOX WHEN
LID IS CLOSED


STAINLESS STEEL
GASKETED LID
& TRAP DOOR



TIE DOWN POINTS

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496


EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF
COMMUNICATION CABLES



(2) DECORATOR OPENING
A/V OR PUNCHED TO SUIT

(1) DUPLEX OPENING POWER
(1) DECORATOR OPENING COMMUNICATION

TOP VIEW INSIDE BOX



MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE 410 EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 12

PART NO.


APP. BY

DATE

410-5EXTCOMM-Y-XXX-SS


OPENING IN LID
ALLOWS CABLES TO
EXIT BOX WHEN
LID IS CLOSED

STAINLESS STEEL
GASKETED LID
& TRAP DOOR



TIE DOWN POINTS


WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



(1) DECORATOR OPENING
COMMUNICATION

(1) DUPLEX OPENING
POWER

TOP VIEW INSIDE BOX



SIDE VIEW

MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE

410RL SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 04 / 13

PART NO.

APP. BY


DATE

410RL-1YX-SS



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496


EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF
COMMUNICATION CABLES



(1) DECORATOR OPENING
COMMUNICATION

(1) DUPLEX OPENING
POWER

TOP VIEW INSIDE BOX



SIDE VIEW

MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE 410RL EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 04 / 13

PART NO.


410RL-1EXTCOMM-YX-SS

APP. BY


DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



TOP VIEW INSIDE BOX



MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE

410RL SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 04 / 13

PART NO.


APP. BY

DATE

410RL-5YYXX-SS



TOP VIEW INSIDE BOX



SIDE VIEW

MATERIALS: BOX- 16 GA. GALV. STEEL LID & SURROUND- 1/8" STAINLESS STEEL

NOTES: STANDARD KNOCKOUTS - 3/4" POWER 1" COMMUNICATION



TITLE

410RL EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 04 / 13

PART NO.

APP. BY

DATE

410RL-5EXTCOMM-YYXX-SS



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

KNOCKOUTS PROVIDED
TWO SIDES - (1) 1/2"
TWO SIDES - (1) 3/4"
BOTTOM - (2) 1/2"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: - 35.5 CU. IN.

NOTES:



TITLE

420 SERIES CONCRETE ADAPTER BOX
c/w FM2 FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.

APP. BY

DATE

420-2S-FM2-11-B



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

KNOCKOUTS PROVIDED
TWO SIDES - (1) 3/4"
TWO SIDES - (1) 1"
BOTTOM - (2) 3/4"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: - 55.8 CU. IN.

NOTES:



TITLE

420 SERIES CONCRETE ADAPTER BOX
c/w FM2 FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.

APP. BY

DATE

420-2D-FM2-11-B



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

KNOCKOUTS PROVIDED
TWO SIDES - (1) 1/2"
TWO SIDES - (1) 3/4"
BOTTOM - (2) 1/2"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: -35.5 CU. IN.

NOTES:



TITLE

420 SERIES CONCRETE ADAPTER BOX
c/w FA2 FURNITURE MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.

APP. BY

DATE

420-2S-FA2-00-B



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

KNOCKOUTS PROVIDED
TWO SIDES - (1) 3/4"
TWO SIDES - (1) 1"
BOTTOM - (2) 3/4"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: - 55.8 CU. IN.

NOTES:



TITLE

420 SERIES CONCRETE ADAPTER BOX
c/w FA2 FURNITURE MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.

APP. BY

DATE

420-2D-FA2-00-B



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

KNOCKOUTS PROVIDED
COMM. - (2) 3/4" & (2) 1"
POWER - (2) 1/2" & (2) 3/4"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: POWER - 52.7 CU. IN. COMM. - 52.7 CU. IN.

NOTES:



TITLE

420 SERIES CONCRETE ADAPTER BOX
c/w FM4 FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.

APP. BY

DATE

420-4S-FM4-11XX-B



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

KNOCKOUTS PROVIDED
COMM. - (2) 1" & (2) 1 1/2"
POWER - (2) 3/4" & (2) 1"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: POWER - 74.8 CU. IN. COMM. - 74.8 CU. IN.

NOTES:



TITLE
420 SERIES CONCRETE ADAPTER BOX
c/w FM4 FLOOR MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP



DATE 08 / 12

PART NO.

APP. BY

DATE

420-4D-FM4-11XX-B



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

KNOCKOUTS PROVIDED
COMM. - (2) 3/4" & (2) 1"
POWER - (2) 1/2" & (2) 3/4"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: POWER - 52.7 CU. IN. COMM. - 52.7 CU. IN.

NOTES:



TITLE

420 SERIES CONCRETE ADAPTER BOX
c/w FA4 FURNITURE MONUMENT

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.

APP. BY

DATE

420-4S-FA4-0000-B



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

KNOCKOUTS PROVIDED
 COMM. - (2) 1" & (2) 1 1/2"
 POWER - (2) 3/4" & (2) 1"

MATERIALS: 16 GA GALV STEEL - TOP POWDER COAT TEXTURED BLACK

CAPACITY: POWER - 74.8 CU. IN. COMM. - 74.8 CU. IN.

NOTES:



TITLE

420 SERIES CONCRETE ADAPTER BOX
 c/w FA4 FURNITURE MONUMENT

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


APP. BY

DATE


420-4D-FA4-0000-B




LID ASSEMBLY HOLD
DOWN SCREWS CONCEALED
UNDER FLIP LID



TOP VIEW




5 1/2"



6" X 4 5/8"

SIDE VIEW



2 1/2"

MATERIALS: LID ASSEMBLY - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: PLATE OPTIONS: DUPLEX SUFFIX PART NUMBER WITH "Y" AS SHOWN
DECORATOR SUFFIX PART NUMBER WITH "X"

KNOCKOUTS: TWO SIDES (1) 1/2" TWO SIDES (1) 3/4" BOTTOM (2) 1/2"



TITLE

440 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


APP. BY

DATE


440S-C/Y




LID ASSEMBLY HOLD
DOWN SCREWS CONCEALED
UNDER FLIP LID



TOP VIEW




5 1/2"



6" X 4 5/8"

SIDE VIEW



3 1/2"

MATERIALS: LID ASSEMBLY - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: PLATE OPTIONS: DUPLEX SUFFIX PART NUMBER WITH "Y" AS SHOWN
DECORATOR SUFFIX PART NUMBER WITH "X"

KNOCKOUTS: TWO SIDES (1) 3/4" TWO SIDES (1) 1" BOTTOM (2) 3/4"



TITLE

440 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


440D-C/Y

APP. BY


DATE



LID ASSEMBLY HOLD
DOWN SCREWS CONCEALED
UNDER FLIP LID



TOP VIEW



SIDE VIEW

MATERIALS: LID ASSEMBLY - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: PLATE OPTIONS: DUPLEX SUFFIX PART NUMBER WITH "Y" AS SHOWN
DECORATOR SUFFIX PART NUMBER WITH "X"

KNOCKOUTS: TWO SIDES (1) 1/2" TWO SIDES (1) 3/4" BOTTOM (2) 1/2"



TITLE

440 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


440SR-C/Y

APP. BY


DATE



LID ASSEMBLY HOLD
DOWN SCREWS CONCEALED
UNDER FLIP LID



TOP VIEW



SIDE VIEW

MATERIALS: LID ASSEMBLY - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: PLATE OPTIONS: DUPLEX SUFFIX PART NUMBER WITH "Y" AS SHOWN
DECORATOR SUFFIX PART NUMBER WITH "X"

KNOCKOUTS: TWO SIDES (1) 3/4" TWO SIDES (1) 1" BOTTOM (2) 3/4"



TITLE

440 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE

NTS

REFERENCE

DR. BY MP

DATE


08 / 12

PART NO.



440DR-C/Y

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS: COVER - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: KNOCKOUTS: TWO ENDS (1) 1/2" TWO SIDES (1) 1/2" & (1) 3/4" BOTTOM (2) 1/2" & (2) 3/4"



TITLE

442 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.



442S-C/YX

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS: COVER - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: KNOCKOUTS: TWO ENDS (1) 3/4" TWO SIDES (1) 3/4" & (1) 1" BOTTOM (2) 1/2" & (2) 3/4"



TITLE

442 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


442D-C/YX

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS: COVER - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: KNOCKOUTS: TWO ENDS (1) 1/2" TWO SIDES (2) 1/2" & (1) 3/4" BOTTOM (3) 1/2" & (3) 3/4"



TITLE

443 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


443S-C/YXX

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



MATERIALS: COVER - 1/8" STAINLESS STEEL BOX - 16 GA GALVANIZED STEEL

NOTES: KNOCKOUTS: TWO ENDS (1) 3/4" TWO SIDES (2) 3/4" & (1) 1" BOTTOM (3) 1/2" & (3) 3/4"



TITLE

443 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 12

PART NO.


443D-C/YXX

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES 4" CORE DRILL - DRY LOCATIONS ONLY

COMMUNICATION OPTION - BELDEN (3) MDVO JACKS

- SYSTIMAX (2) M - SERIES JACKS

- AMP (3) 110 JACKS

- PANDUIT (3) NETKEY JACKS



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

DATE 08 / 12

DR. BY

APP. BY

DATE


PART NO.

470-4-7-3-BELDEN


470-4-7-3-SYSTIMAX

470-4-7-3-AMP

470-4-7-3-PANDUIT



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES 4" CORE DRILL - DRY LOCATIONS ONLY



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.


DR. BY

DATE 08 / 12


470-4-7-33

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 5" CORE DRILL - DRY LOCATIONS ONLY
COMMUNICATION OPTION

- BELDEN (4) MDVO JACKS
- SYSTIMAX (4) M - SERIES JACKS
- AMP (4) 110 JACKS
- PANDUIT (4) NETKEY JACKS



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

DATE 08 / 12



DR. BY

DATE

APP. BY


PART NO.

470-5-8-33-BELDEN
470-5-8-33-SYSTIMAX
470-5-8-33-AMP
470-5-8-33-PANDUIT



AUDIO / VISUAL PLATE

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 5" CORE DRILL - DRY LOCATIONS ONLY

POWER OPTION: - (1) DUPLEX RECEPTACLE

AUDIO / VISUAL OPTION: - AV PLATE SUPPLIED BLANK OR PUNCHED TO SUIT



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.



DR. BY MP

DATE 08 / 12

470-5-8-3-AV

APP. BY

DATE




AUDIO / VISUAL PLATE

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

SEAL WITH
SMOKE STOP

GASKETED STAINLESS
LID ASSEMBLY



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 5" CORE DRILL - DRY LOCATIONS ONLY

COMMUNICATION OPTION: -BELDEN (3) MDVO JACKS -SYSTIMAX (2) M-SERIES JACKS

-AMP (3) 110 JACKS -PANDUIT (3) NETKEY JACKS

AUDIO / VISUAL OPTION: -AV PLATE SUPPLIED BLANK OR PUNCHED TO SUIT



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.


470-5-8-BELDEN-AV
470-5-8-SYSTIMAX-AV
470-5-8-AMP-AV
470-5-8-PANDUIT-AV

DR. BY MP

DATE 08 / 12

APP. BY

DATE



WELLMARK ELECTRIC
 PH: 519-650-4495
 FX: 519-650-4496

SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 5" CORE DRILL - DRY LOCATIONS ONLY



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
 UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.


DR. BY MP

DATE 08 / 12


470-5-8-3-AV(4)MAAP

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



470-5-8-AV- 1 1/2" c/w (1) 1" & (1) 1 1/2"
470-5-8-AV- 2" c/w (1) 1" & (1) 2"

SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 5" CORE DRILL - DRY LOCATIONS ONLY

AUDIO VISUAL OPTION - AV PLATE SUPPLIED BLANK OR PUNCHED TO SUIT

Wellmark
ELECTRIC INC

TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.

DR. BY MP



DATE 08 / 12

470-5-8-AV- 1 1/2"

APP. BY

DATE

470-5-8-AV- 2"



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 6" CORE DRILL - DRY LOCATIONS ONLY

COMMUNICATION OPTION: - (2) OPENINGS FOR DECORATOR INSERTS (PLASTER TABS MUST BE REMOVED)

Wellmark
ELECTRIC INC

TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE

NTS

PART NO.

DR. BY MP



DATE

08 / 12

470-6-9-33-XX


APP. BY

DATE



AUDIO / VISUAL PLATE

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 6" CORE DRILL - DRY LOCATIONS ONLY

POWER OPTION: - (1) DUPLEX RECEPTACLE

AUDIO / VISUAL OPTION: - AV PLATE SUPPLIED BLANK OR PUNCHED TO SUIT



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.



DR. BY MP

DATE 08 / 12

470-6-9-3-AV


APP. BY

DATE



AUDIO / VISUAL PLATE

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 6" CORE DRILL - DRY LOCATIONS ONLY

POWER OPTION: - (1) DUPLEX RECEPTACLE

AUDIO / VISUAL OPTION: - AV PLATE SUPPLIED BLANK OR PUNCHED TO SUIT



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.



DR. BY MP

DATE 08 / 12

470-6-9-5-AV


APP. BY

DATE



AUDIO / VISUAL PLATE

WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 6" CORE DRILL - DRY LOCATIONS ONLY

COMMUNICATION OPTION: -BELDEN (3) MDVO JACKS -SYSTIMAX (3) M-SERIES JACKS

-AMP (4) 110 JACKS -PANDUIT (4) NETKEY JACKS

AUDIO / VISUAL OPTION: -AV PLATE SUPPLIED BLANK OR PUNCHED TO SUIT



TITLE

470 SERIES CONCRETE FLOOR BOX



DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS
DATE 08 / 12
DATE


PART NO.

470-6-9-BELDEN-AV
470-6-9-SYSTIMAX-AV
470-6-9-AMP-AV
470-6-9-PANDUIT-AV

DR. BY MP
APP. BY



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 6" CORE DRILL - DRY LOCATIONS ONLY



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.



DR. BY MP

DATE 08 / 12

470-6-9-3-AV(7)MAAP-COMM

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496

SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 6" CORE DRILL - DRY LOCATIONS ONLY

AUDIO / VISUAL OPTION: - ACCEPTS 2-GANG TRANSMITTER - SWITCHER MODULES



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.


DR. BY MP

DATE 08 / 12


470-6-9---AV-MODULE

APP. BY

DATE



WELLMARK ELECTRIC
PH: 519-650-4495
FX: 519-650-4496



470-6-9-AV- 1 1/2" c/w (1) 1" & (1) 1 1/2"
470-6-9-AV- 2" c/w (1) 1" & (1) 2"

SIDE SECTION

MATERIALS: LID ASSEMBLY: 1/8" STAINLESS STEEL BODY: 12 GA & 16 GA NICKEL COATED STEEL

NOTES: - INSTALLATION REQUIRES A 6" CORE DRILL - DRY LOCATIONS ONLY
AUDIO VISUAL OPTION - AV PLATE SUPPLIED BLANK OR PUNCHED TO SUIT



TITLE

470 SERIES CONCRETE FLOOR BOX

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

PART NO.

DR. BY MP

DATE 08 / 12

470-6-9-AV- 1 1/2"

APP. BY

DATE

470-6-9-AV- 2"